



Herbal medicines: a new hope for autism therapy

Sadegh Rezapour¹, Mahmoud Bahmani^{2*}, Omid Afsordeh², Reza Rafieian³, Ali Sheikhan¹

¹Razi Herbal Medicines Research Center, Lorestan University of Medical Sciences, Khorramabad, Iran

²Clinical Microbiology Research Center, Ilam University of Medical Sciences, Ilam, Iran

³Medical Plants Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran

ARTICLE INFO

Article Type:

Mini Review

Article History:

Received: 22 February 2016

Accepted: 9 June 2016

Keywords:

Autism

Herbs

Phytotherapy

ABSTRACT

Autism is a neurodevelopment disorder that causes disruption in communication, behavior and social interaction, and influences all aspects of child development. Families of autistic children are involved with it more than families of children with Down syndrome and mental disorders. The causes of Autism include psychosocial, immune, genetic and biological parameters. So far there is no effective drug treatment and rehabilitation for the treatment of autism. In this study, the most important medicinal plants with neuroprotective effects on autism have been reported. Based on the present study, medicinal herbs such as *Zingiber officinale*, *Astragalus membranaceu*, *Ginkgo biloba*, *Centella asiatica*, *Acorus calamus*, *Paeonia lactiflora*, *Lobelia inflata* and *Actaea racemosa* have neuroprotective effects and might be beneficial for this problem.

Implication for health policy/practice/research/medical education:

Oxidative stress is considered as an important factor in autism. Therefore, medicinal plants with antioxidant activity might be beneficial in autism.

Please cite this paper as: Rezapour S, Bahmani M, Afsordeh O, Rafieian R, Sheikhan A. Herbal medicines: a new hope for autism therapy. J HerbMed Pharmacol. 2016;5(3):89-91.

Introduction

Autism disorders are developmental disorders of the nervous system that causes impairment in communication, behavior and social interaction (1). This disorder is widespread and affects all aspects of child development, so there is a need to evaluate all aspects of human performance including social skills, mobility, language, daily living skills, play, executive functions, the recognition social and academic skills (2).

Families of autistic children are involved with it more than families of children with Down syndrome and mental disorders (3). Children with autism have problems and their families, especially mothers of children with autism, suffer from the stress and the enormous psychological problems (4).

According to the statistics, incidence of autism ratio in male to female has been reported about 1: 3 to 1: 4 (5). In the first year of a child's life symptoms appear, but usually it is not detected until 2 to 3 years of age (6). Psychosocial, immune, genetic, biologic causes are considered in autism (7). So far there is no choice drug for the treatment of autism, but drugs that are used are effective on behaviors such as self-injury, neglect, aggression, repetitive and stereotyped behaviors, hyperactivity and sleep disorders. The

drugs that are recommended to be used to treat symptoms of autism include clonidine, naltrexone, lithium, drivers, mega vitamins, thyroid hormones and antidepressants, but none of them has significant effect (8,9).

Medicinal plants have been recently considered as a reliable source for preparation of new drugs for treatment of various diseases (10-12). Medicinal herbs are plants that one or some of their organs contain active ingredients and are effective in various diseases (13-17). Medicinal herbs as a medicinal source are usually available, inexpensive, and effective. They generally have fewer adverse effects than chemical drugs (18-23). Different plants have different properties and chemical compounds in plants mediate their effect on the human body (24-30). Recently medicinal plants have raised a new hope for the treatment of autism. Hence, this paper aimed to introduce these plants which have had promising effects on autism. Table 1 consists of a list of medicinal plants which have brought neuro-protective effects on autistic disorder.

Discussion

It has been estimated that the cases of autism range from more than one in 500 to one in 1000. It has been suggested that environmental toxins and pollution might contribute

*Corresponding author: Mahmoud Bahmani;
Email: Mahmood.bahmani@yahoo.com

Table 1. Medicinal plants with neuro-protective effects on autistic disorder^a

Scientific Name	Family Name	Part of Usage
<i>Zingiber officinale</i>	Zingiberaceae	Ginger root
<i>Astragalus membranaceus</i>	Fabaceae	Aerial part
<i>Ginkgo biloba</i>	Ginkgoaceae	Ginkgo leaf
<i>Centella asiatica</i>	Apiaceae	Gotu kola leaf
<i>Acorus calamus</i>	Acoraceae	Calamus root
<i>Paeonia lactiflora</i>	Paeoniaceae	Peony root
<i>Lobelia inflata</i>	Campanulaceae	Lobelia leaf
<i>Actaea racemosa</i>	Ranunculaceae	Black cohosh root

^a References 31-41.

critically in this disease. Immunizations, viral infections, antibiotics as well as nutrition are the other causal aspects. However, recent researches suggest the genetic ties and suggest that the disorder presents prenatal. Oxidative stress is also considered as an important factor (42). Therefore, the effects of medicinal plants in autism might be partly due to their antioxidant activities.

Authors' contributions

SR and MB prepared the first draft and RR edited it. All read and confirmed the manuscript.

Conflict of interests

The authors declared no competing interests.

Ethical considerations

Ethical issues (including plagiarism, misconduct, data fabrication, falsification, double publication or submission, redundancy) have been completely observed by the authors.

Financial support

There was no financial support

References

1. Pervasive Developmental Disorders. In: American Psychiatric Association, ed. Diagnostic and Statistical Manual of Mental Disorders. 4th ed. Washington, DC: American Psychiatric Association; 2000:70.
2. Gould E, Dixon DR, Najdowski AC, Smith MN, Tarbox J. A review of assessments for determining the content of early intensive behavioral intervention programs for autism spectrum disorders. *Res Autism Spectr Disord*. 2011;5: 990-1002.
3. Mohammadi-Zade A, Pooretamad H, Maleck-Khosravi G. The primary examination of effect of guided imagination by music on reduction of depression, anxiety, & stress in mothers with autistic children. *J Res Fam*. 2005;3:289-92.
4. Gray DE. High functioning autistic children and the construction of "normal family life". *J Soc Med*. 1997;44(8):1097-106.
5. Filipek PA, Accardo PJ, Baranek GT, Cook EH, Dawson G, Gordon B, et al. The Screening and Diagnosis of Autistic Spectrum Disorder. *J Autism Dev Disord*. 1999;29(6):439-84.
6. Rapin I, Tuchman R. Autism: definition, neurobiology, screening, diagnosis. *Pediatr Clin North Am*. 2008;55(5): 1129-46.
7. Filipek PA, Accardo PJ, Baranek GT, Cook EH Jr, Dawson G, Gordon B, et al. The screening and diagnosis of autistic spectrum disorders. *J Autism Dev Disord*. 1999;29(6):439-84.
8. Sadok BJ, Sadok VA. Comprehensive textbook of psychiatry. 8th ed. Philadelphia: Williams & Wilking; 2005:3164-75.
9. Kaplan HI. Sadok BJ. Synopsis of psychiatry. 10 th ed. Lippincott. Philadelphia: Williams and Wilkins; 2007:1208 -22.
10. Sarrafchi A, Bahmani M, Shirzad H, Rafieian-Kopaei M. Oxidative stress and Parkinson's disease: new hopes in treatment with herbal antioxidants. *Curr Pharm Des*. 2016; 22(2): 238-246.
11. Shayganni E, Bahmani M, Asgary S, Rafieian-Kopaei M. Inflammaging and cardiovascular disease: management by medicinal plants. *Phytomedicine*. 2015 Dec 3. pii: S0944-7113(15)00356-6.
12. Saki K, Bahmani M, Rafieian-Kopaei M. The effect of most important medicinal plants on two important psychiatric disorders (anxiety and depression)-a review. *Asian Pac J Trop Med*. 2014;7(Suppl 1):34-42.
13. Rahimi-Madiseh M, Bahmani M, Karimian P, Rafieian-kopaei M. Herbalism in Iran: a systematic review. *Der Pharma Chemica*. 2016;8(2):36-42.
14. Taherikalani M, Hassanzadazar H, Bahmani M, Baharvand-Ahmadi B, Rafieian-Kopaei M. Staphylococcus phytotherapy: An overview on the most important Iranian native medicinal plants effective on Staphylococcus aureus. *J Chem Pharm Sci*. 2016;9(1):16-23.
15. Baharvand-Ahmadi B, Bahmani M, Naghdi N, Saki K, Baharvand-Ahmadi S, Rafieian-Kopaei M. Review on phytochemistry, therapeutic and pharmacological effects of myrtus (*Myrtus communis*). *Der Pharmacia Lettre*. 2015;7(11):160-165.
16. Baharvand-Ahmadi B, Bahmani M, Rafieian-Kopaei M. Review of the medicinal herbs effective on labor and cesarean section pain in Iran. *J Chem Pharm Sci*. 2016;9(1):24-27.
17. Aleebrahim-Dehkordy E, Rafieian- Kopaei M, Bahmani M. Study of antibacterial effect of total hydroalcoholic extract of *Thymus daenensis* and *Lavandula officinalis* on *Listeria monocytogenes*, an agent of food spoilage, using microdilution. *Der Pharma Chemica*. 2016;8(2):238-242.
18. Ebrahimie M, Bahmani M, Shirzad H, Rafieian-Kopaei M, Saki K. A review study on the effect of Iranian herbal medicines on opioid withdrawal syndrome. *J Evid Based Complementary Altern Med*. 2015;20(4):302-309.
19. Baharvand-Ahmadi B, Bahmani M, Tajeddini P, Naghdi N, Rafieian-Kopaei M. An ethno-medicinal study of medicinal plants used for the treatment of diabetes. *J Nephrothol*. 2016;5(1):44-50.
20. Bahmani M, Eftekhari Z, Jelodari M, Saki K, Abdollahi R, Majlesi M, et al. Effect of Iranian herbal medicines in dysmenorrhea phytotherapy. *J Chem Pharm Res*. 2015;2:519-526.
21. Baharvand-Ahmadi B, Bahmani M, Rafieian-kopaei M. A summary on the prominent herbal medicine effective for beauty, skin hygiene and wound healing in Iran. *J Chem Pharm Sci*. 2016;9(1):28-33.
22. Farhadi A, Hassanzad-Azar H, Pour-Anbari P, Joudaki Y, Shahsavari F, Bahmani M, et al. The most important medicinal plants affecting the brain and nerves: an overview

- on Iranian ethnobotanical sources. *Der Pharma Chemica*. 2016;8(2):269-274.
23. Farhadi A, Eftekhari Z, Shahsavari F, Joudaki Y, Pour-Anbari P, Bahmani M, et al. Identification of medicinal plants effective on sinusitis native to Shiraz province in Iran. *Der Pharma Chemica*. 2016;8(2):306-312.
 24. Bahmani M, Tajeddini P, Ezatpour B, Rafieian-Kopaei M, Naghdi N, Asadi-Samani M. Ethenobothanical study of medicinal plants against parasites detected in Shiraz, southern part of Iran. *Der Pharmacia Lettre*. 2016;8(1):153-160.
 25. Nasri H, Bahmani M, Shahinfard N, Nafchi AM, Saberianpour S, Rafieian-Kopaei M. Medicinal plants for the treatment of acne vulgaris: A review of recent evidences. *Jundishapur J Microbiol*. 2015;8(11):e25580.
 26. Azadpour M, Azadpour N, Bahmani N, Hassanzadazar H, Rafieian-Kopaei M and Naghdi N. Antimicrobial effect of Ginger (*Zingiber officinale*) and mallow (*Malva sylvestris*) hydroalcoholic extracts on four pathogen bacteria. *Der Pharmacia Lettre*. 2016;8(1):181-187.
 27. Delfan B, Baharvand-Ahmadi B, Bahmani M, Mohseni N, Saki K, Rafieian-Kopaei M, et al. An ethnobotanical study of medicinal plants used in treatment of kidney stones and kidney pain in Lorestan province, Iran. *J Chem Pharm Sci*. 2015;8(4):693-699.
 28. Parsaei P, Bahmani M, Karimi M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. A review of analgesic medicinal plants in Iran. *Der Pharmacia Lettre*. 2016;8(2):43-51.
 29. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M, Tajeddini P, et al. Identification of medicinal plants effective on common cold: an ethnobotanical study of Shiraz, South Iran. *Der Pharmacia Lettre*. 2016;8(2):90-97.
 30. Bahmani M, Saki K, Ezatpour B, Shahsavari S, Eftekhari Z, Jelodari M, et al. Leishmaniasis phytotherapy: review of plants used in Iranian traditional medicine on leishmaniasis. *Asian Pac J Trop Biomed*. 2015;5(9):695-701.
 31. Ernst E, Pittler MH. Efficacy of ginger for nausea and vomiting: a systematic review of randomized clinical trials. *Br J Anaesth*. 2000;84(3):367-71
 32. McCaleb, Robert S. *Herb Research Foundation Encyclopedia of Popular Herbs*. Roseville, Ca: Prima; 2000.
 33. Gupta YK, Sharma M. Reversal of pyrogallol-induced delay in gastric emptying in rats by ginger (*Zingiber officinale*). *Methods Find Exp Clin Pharmacol*. 2001;23(9):501-503.
 34. Sinclair S. Chinese herbs: a clinical review of *Astragalus*, *Ligusticum*, and *Schizandrae*. *Altern Med Rev*. 1998;3(5):338-344.
 35. Bedir E, Pugh N, Calis I, Pasco DS, Khan IA. Immunostimulatory effects of cycloartane-type triterpene glycosides from *astragalus* species. *Biol Pharm Bull*. 2000;23(7):834-837.
 36. Zheng Z, Liu D, Song C, Cheng C, Hu Z. Studies on chemical constituents and immunological function activity of hairy root of *Astragalus*. *Chin J Biotechnol*. 1998;14(2):93-97.
 37. Peng T, Yang Y, Riesemann H, Kandolf R. The inhibitory effect of *astragalus membranaceus* on coxsackie B-3 virus RNA replication. *Chinese Med Sci J*. 1995;10(3):146-50.
 38. Bensky D, Clavey S, Stoger E. *Chinese Materia Medica*. Seattle: Eastland Press; 1986.
 39. Carlson JJ, Farquhar JW, DiNucci E, Ausserer L, Zehnder J, Miller D, et al. Safety and efficacy of a ginkgo biloba-containing dietary supplement on cognitive function, quality of life, and platelet function in healthy, cognitively intact older adults. *J Am Diet Assoc*. 2007;107(3):422-432.
 40. Mook-Jung I, Shin JE, Yun SH, Huh K, Koh JY, Park HK, et al. Protective effects of asiaticoside derivatives against beta-amyloid neurotoxicity. *J Neurosci Res*. 1999;58(3):417-425.
 41. Veerendra Kumar MH, Gupta YK. Effect of *Centella asiatica* on cognition and oxidative stress in an intracerebroventricular streptozotocin model of Alzheimer's disease in rats. *Clin Exp Pharmacol Physiol*. 2003;30(5-6):336-342.
 42. Bahmani M, Sarrafchi A, Shirzad H, Rafieian-Kopaei M. Autism: pathophysiology and promising herbal remedies. *Curr Pharm Des*. 2016;22(3):277-285.